

Appl. No. 09/885,984

Atty Dkt. No. 113378-039

Response to Office Action mailed November 15, 2004

LISTING OF CLAIMS

This listing of claims replaces all prior versions and listings of claims in the patent application.

Claim 1 (withdrawn): A router table comprising:

- a table top having a top work surface with a guide channel, and a router bit hole through the table top;
- a plurality of support legs below the table top;
- a safety shield positioned above the router bit hole;
- a workpiece fence slidably positioned on the top work surface; and
- a feather flap extending from the workpiece fence, wherein said feather flap is comprised of a resilient material and is configured as a flat L-shaped strip.

Claim 2 (withdrawn): The router table as claimed in claim 1, further comprising a miter guide, said miter guide comprising:

- a protractor having a half-circular shape comprising a flat side and a half-circular-shaped side, said protractor comprising:
 - a protractor adjustment slot that is parallel to said half-circular-shaped side; and
 - an angular scale comprising angular measurement indicators;
- said miter guide further comprising:
 - a miter bar that is affixed to a bottom side of said protractor and that rides inside of said guide channel permitting movement of said miter guide in a linear direction, said miter bar utilizing a fastener between said miter bar and said protractor adjustment slot for adjusting the angle of said protractor; and
 - a slide guide attached to said flat side of said protractor that operates to hold a workpiece against a table top by applying a downward force to said workpiece, said slide guide being in contact with said workpiece.

Appl. No. 09/885,984

Atty Dkt. No. 113378-039

Response to Office Action mailed November 15, 2004

Claim 3 (withdrawn): The router table as claimed in claim 1, further comprising:

featherboard flaps that are flat and are generally L-shaped, said L-shape defining a mounting leg of said featherboard flap and a workpiece contacting leg of said featherboard flap, said featherboard flap being mounted according to at least one of the following configurations:

a) said mounting leg being inserted into a featherboard flap hole of said workpiece fence to provide a downward force on said workpiece against said flat table top; and

b) said mounting leg being inserted into a featherboard flap hole of said flat table top to provide an inward force on said workpiece against a front surface of said workpiece fence.

Claim 4 (withdrawn): A machining table having a table top, comprising:

a dovetail/boxjoint bar that is used to produce dovetail joints, box joints, and combination joints, said bar having a cross-sectional width that is equal to the diameter of a cutter mounted in said machining table;

wherein said dovetail/boxjoint bar is affixed directly on said table top so that its inner edge is a distance equal to the diameter of said cutter away from an outer edge of said cutter.

Claim 5 (withdrawn): The machining table as claimed in claim 4, wherein said dovetail/boxjoint bar is affixed utilizing fasteners that pass through two or more holes in said dovetail/boxjoint bar and respective slots of said table top permitting said distance to be adjusted.

Claim 6 (currently amended): A router table comprising a support connected to a table top, the table top defining at least three groups of router mounting hole patterns centered around a common router bit hole through the table top, each group having a unique combination of radial distances from a center of the router bit hole and angular positions around the router bit hole, wherein the at least three groups are capable of different hole center distances, and at least two groups having different radial hole center distances, for mounting routers having different mounting hole arrangements footprints.

Claim 7 (cancelled)

Appl. No. 09/885,984

Atty Dkt. No. 113378-039

Response to Office Action mailed November 15, 2004

Claim 8 (withdrawn): A method for adding a dovetail/boxjoint bar to a router table for producing dovetail joints, box joints, and combination joints, comprising the steps of:

amixing said dovetail bar having a same width as the diameter of a router bit on a table top of said router table, a horizontal mounting position of said dovetail/boxjoint bar being located at a distance away from an outer edge of said router bit that provides a gap between said outer edge of said router bit and an inner edge of said dovetail/boxjoint bar that is equal to the diameter of said router bit;

said step of affixing comprising the steps of placing two or more dovetail bar fasteners through two or more respective holes in said dovetail bar and through two or more respective dovetail bar mounting slots in said on said table top, thereby permitting adjustment in a horizontal direction, said fasteners having a securing mechanism for tightening the secure mount of said dovetail bar to said table top.

Claim 9 (withdrawn): A miter guide comprising:

a protractor having a half-circular shape comprising a flat side and a half-circular-shaped side, said protractor comprising:

a protractor adjustment slot that is parallel to said half-circular-shaped side; and

an angular scale comprising angular measurement indicators;

said miter guide further comprising:

a miter bar that is affixed to a bottom side of said protractor and that rides inside of a guide channel permitting movement of the miter guide in a linear direction, said miter bar utilizing a fastener between said miter bar and said protractor adjustment slot for adjusting the angle of said protractor; and

a slide guide attached to said flat side of said protractor that operates to hold a workpiece against a table top by applying a downward force to said workpiece, said slide guide being in contact with said workpiece.

Claim 10 (withdrawn): The miter guide according to claim 9, wherein said slide guide is constructed of a flat strip of a resilient material, said slide guide having a flattened end that slides into a slide guide slot located on said flat side of said protractor.

Appl. No. 09/885,984
Response to Office Action mailed November 15, 2004

Atty Dkt. No. 113378-039

Claim 11 (currently amended): A router table comprising a support connected to a table top, the table top defining a plurality of router mounting hole pattern groups ~~groups, each group having different hole center distances, and at least two groups having different radial hole center distances,~~ for mounting routers having different mounting ~~footprints~~ hole arrangements, the hole pattern groups positioned operably in relation to a router hole provided by the table and each group having a unique combination of radial distances from the router hole and angular positions around the router hole.

Claim 12 (previously presented): The router table according to claim 11, wherein the router hole is positioned substantially centrally with respect to the hole pattern of at least one of the groups.

Claim 13 (canceled)

Claim 14 (previously presented): The router table according to claim 6, wherein the support includes a plurality of support legs.

Claim 15 (previously presented): The router table according to claim 14, wherein the support legs are substantially vertical.

Claim 16 (previously presented): The router table according to claim 6, wherein the table top includes a work surface with a guide channel.

Claim 17 (previously presented): The router table according to claim 16, which includes a workpiece fence slideably positioned on the work surface.

Claim 18 (previously presented): The router table according to claim 17, which includes a feather flap extending from the workpiece fence, wherein said feather flap includes a resilient material.

Appl. No. 09/885,984
Response to Office Action mailed November 15, 2004

Atty Dkt. No. 113378-039

Claim 19 (previously presented): The router table according to claim 6, which includes a miter guide connected to the table top.

Claim 20 (currently amended): The router table according to ~~claim 7~~ claim 6, which includes a safety shield positioned above the router hole.

Claim 21 (previously presented): The router table according to claim 11, wherein the support includes a plurality of support legs.

Claim 22 (previously presented): The router table according to claim 21, wherein the support legs are substantially vertical.

Claim 23 (previously presented): The router table according to claim 11, wherein the table top includes a work surface with a guide channel.

Claim 24 (previously presented): The router table according to claim 23, which includes a workpiece fence slideably positioned on the work surface.

Claim 25 (previously presented): The router table according to claim 24, which includes a feather flap extending from the workpiece fence, wherein said feather flap includes a resilient material.

Claim 26 (previously presented): The router table according to claim 11, which includes a miter guide connected to the table top.

Claim 27 (previously presented): The router table according to claim 11, which includes a safety shield positioned above the router hole.